



FEEL THE SW DIFFERENCE.®

# DESIGNED TO ENHANCE WORKER PERFORMANCE.

## PowerForm®

**PF-95BK**

POWDER-FREE ECOTEK BIODEGRADABLE NITRILE EXAMINATION GLOVES\*

**PROTECT HANDS AND THE ENVIRONMENT WITH A BIODEGRADABLE GLOVE THAT COMBINES DURABILITY AND TACTILE SENSITIVITY FOR CRITICAL TASKS\***

- EcoTek® Biodegradability Technology accelerates landfill breakdown without any performance loss\*
- Silicone-free for critical environments
- Exceeds 1.5 AQL laboratory standards







Optimal thickness for durability and tactile sensitivity


Fully textured surface for wet and dry grip

Tear-resistant beaded cuff for easy donning

**PF** **PF-95BK**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 6.5g (large size)	 9.5"	 5.0 mil	EcoTek® Clean Washed Air Inspected	 BLACK

**ECOTEK**



Feel the difference.™

SW®  
33278 Central Avenue, Unit 102, Union City, CA 94587, USA  
Tel: +1.510.429.8692 | Fax: +1.510.487.5347

Trademarks and registered trademarks are the property of SW and its affiliates.  
©2022 SW. All rights reserved.



WOMEN OWNED



## TECHNICAL DATA



### PF-95BK POWDER-FREE ECOTEK BIODEGRADABLE NITRILE EXAMINATION GLOVES\*



## PRODUCT DESCRIPTION

### SPECIFICATIONS

PRODUCT	PowerForm®	
GRADE	Powder-Free Exam	
MATERIAL	Nitrile	
THICKNESS	FINGER	5.6mil 0.14mm
	PALM	5.0mil 0.13mm
	CUFF	4.1mil 0.10mm
COLOR	Black	
SURFACE	Fully Textured	
LENGTH	9.5"	242mm
WEIGHT	6.5g	
FIT TYPE	Ambidextrous	
CUFF TYPE	Beaded	
WATERTIGHT AQL	1.5	
ORIGIN COUNTRY	China	

### PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
TENSILE		
STRENGTH:	22 MPA	20 MPA
ELONGATION:	540%	520%

### INTEGRATED TECHNOLOGIES

**ECOTEK** Biodegradability Technology: 92.6% biodegradable in 2.5 years. ASTM D5526-12 test results do not predict future biodegradation.\*

100% Air Inspected

Clean Washed



\* Specifications based on size Large glove

## STANDARDS & CERTIFICATIONS

EN ISO 21420:2020  
EN 455-2000-2015  
ASTM D6319-19  
ASTM F1671-13  
ASTM F739-12  
Reach EU 1907/2006  
EU 2016/425

CAT III Complex Design  
FDA 21 CFR 177.2600



Please visit [swsafety.com/symbols](http://swsafety.com/symbols) for information on standards used on this document.

## ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N716882	S 6½ – 7	3.5" 89mm	100 gloves per box 10 boxes per case
N716883	M 7½ – 8	3.8" 98mm	100 gloves per box 10 boxes per case
N716884	L 8½ – 9	4.3" 108mm	100 gloves per box 10 boxes per case
N716885	XL 9½ – 10	4.6" 116mm	100 gloves per box 10 boxes per case
N716886	2XL 10½ – 11	5.0" 126mm	100 gloves per box 10 boxes per case

## APPLICATIONS

### INDUSTRIAL

Dairy  
Painting

### MEDICAL

Chemical Handling  
Tattooing and Cosmetics

Keep out of sunlight. Store in a cool, dry place.  
Keep away from sources of ozone or ignition.



R\_N71688X0822



SW®  
33278 Central Avenue, Unit 102, Union City, CA 94587, USA  
Tel: +1.510.429.8692 | Fax: +1.510.487.5347

Trademarks and registered trademarks are the property of SW and its affiliates.  
©2022 SW. All rights reserved.



\*Under test method ASTM D5526-12, a standard test method for determining anaerobic biodegradation of plastics in accelerated landfill conditions. Current biodegradation results do not predict future results.