



FEEL THE SW DIFFERENCE®

DESIGNED TO ENHANCE WORKER PERFORMANCE.

PowerForm®

PF-95LG

POWDER-FREE ECOTEK® BIODEGRADABLE NITRILE SINGLE-USE GLOVES WITH ENERGEL®*

ECOTEK® BIODEGRADABLE GLOVE THAT COMBINES TACTILE SENSITIVITY WITH ENERGEL® TECHNOLOGY TO SOOTHE AND HYDRATE SKIN*

- EnerGel® Hand Conditioning Technology hydrates and soothes skin
- EcoTek® Biodegradability Technology accelerates landfill breakdown without any performance loss
- Tested for use with chemotherapy drugs
- Optimal thickness for durability and tactile sensitivity
- Fully textured surface for excellent wet and dry grip
- Silicone-free to prevent contamination
- Tear-resistant beaded cuff eases donning
- SHA Dermatologically Approved
- 0.65 AQL exceeds laboratory standards






Optimal thickness for durability and tactile sensitivity

Fully textured surface for wet and dry grip

Tear-resistant beaded cuff for easy donning

PF **PF-95LG**

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 7.0g (large size)	 9.5"	 5.1 mil	EnerGel® EcoTek®	LIGHT GREEN

ECOTEK



EnerGel® EcoTek®



SW®
33278 Central Avenue, Unit 102, Union City, CA 94587, USA
Tel: +1.510.429.8692 | Fax: +1.510.487.5347

Trademarks and registered trademarks are the property of SW and its affiliates.
©2021 SW. All rights reserved.



TECHNICAL DATA



PF-95LG

POWDER-FREE ECOTEK® BIODEGRADABLE
NITRILE SINGLE-USE GLOVES WITH ENERSEL®*

PRODUCT DESCRIPTION

SPECIFICATIONS

PRODUCT	PowerForm®		
GRADE	Powder-Free Industrial		
MATERIAL	Nitrile		
THICKNESS	FINGER	5.9mil	0.15mm
	PALM	5.1mil	0.13mm
	CUFF	4.0mil	0.10mm
COLOR	Light Green		
SURFACE	OUTER	Fully Textured	
	INNER	EnerGel™	
LENGTH	9.5"	242mm	
WEIGHT	7.0 g		
FIT TYPE	Ambidextrous		
CUFF TYPE	Beaded		
WATERTIGHT AQL	0.65		
ORIGIN COUNTRY	China		

* Specifications based on size Large glove

PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
TENSILE STRENGTH:	14 MPa	14 MPa
ELONGATION:	500%	400%

INTEGRATED TECHNOLOGIES

ENERSEL® Hand Conditioning Technology: allows for thorough penetration of aloe vera into the skin, reduces water loss to retain moisture and has been clinically proven to prevent many skin ailments, like dermatitis.

ECOTEK® Biodegradability Technology: 92.6% biodegradable in 2.5 years. ASTM D5526-12 test results do not predict future biodegradation.*



STANDARDS & CERTIFICATIONS

EN ISO 21420:2020	Reach EU 1907/2006
EN 455-2000-2015	EU 2016/425
ASTM D6319-19	CAT III Complex Design
ASTM D6978-05 (2019)	UL NFPA 1999-2018
ASTM F1671-13	FDA 21 CFR 177.2600
ASTM F739-12	



Please visit swsafety.com/symbols for information on standards used on this document.

ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N129401	XS 5½ – 6	3.0" 75mm	100 gloves per box 10 boxes per case
N129402	S 6½ – 7	3.1" 80mm	100 gloves per box 10 boxes per case
N129403	M 7½ – 8	3.4" 87mm	100 gloves per box 10 boxes per case
N129404	L 8½ – 9	4.0" 101mm	100 gloves per box 10 boxes per case
N129405	XL 9½ – 10	4.5" 114mm	100 gloves per box 10 boxes per case
N129406	2XL 10½ – 11	4.8" 123mm	100 gloves per box 10 boxes per case

APPLICATIONS

INDUSTRIAL

- Assembly
- Cleaning
- Handling and Packaging Devices
- Liquid Handling
- Oily or Wet Surfaces
- Painting

MEDICAL

- Chemical Handling
- Clinical
- Laboratory
- Light Chemical Mixing
- Pharma Production

Keep out of sunlight. Store in a cool, dry place.
Keep away from sources of ozone or ignition.



R_N12940X0721



SW®
33278 Central Avenue, Unit 102, Union City, CA 94587, USA
Tel: +1.510.429.8692 | Fax: +1.510.487.5347

Trademarks and registered trademarks are the property of SW and its affiliates.
©2021 SW. All rights reserved.



*Under test method ASTM D5526-12, a standard test method for determining anaerobic biodegradation of plastics in accelerated landfill conditions. Current biodegradation results do not predict future results.